PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q92546

Fabio STRADELLA, et al.

Appln. No.: 10/564,315

Group Art Unit: 3754

Confirmation No.: 8035

Examiner: NGO, LIEN M

Filed: December 21, 2006

For: DOSE INDICATOR FOR FLUID PRODUCT DISPENSING DEVICE

STATEMENT OF SUBSTANCE OF INTERVIEW

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Please review and enter the following remarks summarizing the interview conducted on December 2, 2009:

REMARKS

An Examiner's Interview Summary Record (PTO-413) was mailed on December 10, 2009.

During the interview, the following was discussed:

- 1. Brief description of exhibits or demonstration: None.
- 2. Identification of claims discussed: 1, 3, 9, and 20-23.
- 3. Identification of art discussed: None.
- 4. Identification of principal proposed amendments: None.
- 5. Brief Identification of principal arguments: The original disclosure of the application fully discloses and enables all of the features recited in the claims.

Attorney Docket No. 92546

Statement of Substance of Interview Application No. 10/564,315

6. Indication of other pertinent matters discussed: The submission of a declaration was

discussed.

7. Results of Interview: Applicants would submit a written response with a declaration.

It is respectfully submitted that the instant STATEMENT OF SUBSTANCE OF INTERVIEW complies with the requirements of 37 C.F.R. §§1.2 and 1.133 and MPEP §713.04.

It is believed that no petition or fee is required. However, if the USPTO deems otherwise, Applicant hereby petitions for any extension of time which may be required to maintain the pendency of this case, and any required fee, except for the Issue Fee, for such extension is to be charged to Deposit Account No. 19-4880.

Respectfully submitted,

Raja Salilen

Raja N. Saliba

Registration No. 43,078

SUGHRUE MION, PLLC

Telephone: (202) 293-7060 Facsimile: (202) 293-7860

WASHINGTON OFFICE

23373
CUSTOMER NUMBER

Date: February 25, 2010